

| | |
|--|--------------|
| AMVO-002-3.0 | Appendix ./3 |
| <i>Guidance on Potential / Confirmed Incident of Falsification within the context of Dispensing or Verifying Medicinal Products in Austria</i> | |
| Applicable as from: see section 7 – Entry into force | |

Appendix ./3 VDL Notification about the Contents of the Level 5 System Message

When the VDL is notified about a level 5 system message having been generated by its user, as referred to in 5.1, the VDL will receive an automatically generated e-mail containing the following information on the level 5 system message.

This e-mail will be sent to the email address indicated in the end user agreement. In addition, each enduser can indicate one further e-mail address per location to which this e-mail is to be sent as well.

The contents of this e-mail have to be transmitted to serialisierung@basg.gv.at together with the contact details of the VDL (name of the natural or legal person, address, telephone number, e-mail address and responsible contact person).

For this purpose, the VDL can use the e-mail automatically generated by the AMVSystem after having checked it for completeness / having supplemented anything that was missing from the aforementioned data.

Contents of the e-mail notification on level 5 system messages:

Subject: End user alert message 'A-111888/A-9999-TESTAPO' with Alert ID AT-67g3j0a-41j7-4c86-9u5s-15r653h89g5

| Alert data supplied | |
|---|--|
| Unique Alert ID | AT-67g3j0a-41j7-4c86-9u5s-15r653h89g5 |
| Date and time of the alert | Oct 20 2020 11:07AM |
| Medicinal products according to products index | SUPERMED 5MG TBL |
| PZN according to products index | 6587422 |
| Product code | 09088886587426 |
| Batch | Z123 |
| Expiry date (YYMMDD) | 220531 |
| Serial number | 524789664475221 |
| Occurred during | Dispensing of a package |
| Error code | NMVS_FE_LOT_13 |
| Error message | The batch number is different from the one stored in the system. |
| Client | A-111888 |
| User | A-9999-TESTAPO |